

**AMENDMENTS TO THE CLAIMS**

Please amend the claims without prejudice, without admission, without surrender of subject matter, and without any intention of creating any estoppel as to equivalents, as follows.

1. **(Currently Amended)** A method of treating an angiodependent disease, wherein the angiodependent disease is psoriasis, comprising administering 2,5-dihydroxybenzenesulfonic acid or of any of its pharmaceutically acceptable salts to an individual in need thereof.

2. **(Previously Presented)** The method of claim 1, in which the angiodependent disease also presents a reduction of apoptosis.

3. **(Cancelled)**

4. **(Cancelled)**

5. **(Previously Presented)** The method of claim 1, wherein the pharmaceutically acceptable salt is the potassium salt of the 2,5-dihydroxybenzene sulfonic acid.

6. **(Previously Presented)** The method of claim 1, wherein the pharmaceutically acceptable salt is the calcium salt of the 2,5-dihydroxybenzene sulfonic acid.

7. **(Previously Presented)** The method of claim 1, wherein the 2,5-dihydroxybenzenesulfonic acid compound is formulated with at least one pharmaceutically acceptable excipient.

8-11. **(Cancelled)**

12. **(Previously Presented)** The method of claim 1, wherein the 2,5-dihydroxybenzenesulfonic acid compound is formulated for topical administration.

13. **(Previously Presented)** The method of claim 12, wherein the 2,5-

dihydroxybenzenesulfonic acid compound is formulated as a cream or unguent whose composition includes:

- A pharmaceutically efficient amount of the 2,5-dihydroxybenzenesulfonic acid or of any of its pharmaceutically acceptable salts;
- A pharmaceutically acceptable amount of at least one alcohol;
- A pharmaceutically acceptable amount of at least one emulsifier;
- A pharmaceutically acceptable amount of at least one excipient;
- A pharmaceutically acceptable amount of at least one excipient comprising a lipid phase;
- and
- Distilled water.

14. **(Previously Presented)** The method of claim 13, wherein the cream or unguent comprises:

- 5% of the potassium salt of the 2,5-dihydroxybenzenesulfonic acid;
- 2.5% of cetylic alcohol;
- 2.5% of stearic alcohol;
- 30% of liquid Vaseline;
- 30% of white soft paraffin;
- 5% span (sorbitan oleate); and
- q.s 100 g of distilled water.

15. **(Cancelled)**

16. **(Cancelled)**